

HYGIENIC ENCLOSURES

HYGIENIC BOXES



TPOLOGIES / TIPOLOGIE / TYPOLOGIEN

Terminal boxes (HD) /
Scatole di derivazione (HD) /
Anschlussdosen (HD)


SPECIFICATIONS / CARATTERISTICHE / EIGENSCHAFTEN

Materials / Materiali / Materialien:
AISI 304 EN 1.4301 or AISI 316L EN 1.4404
stainless steel, external silicon gasket /
Acciaio inox AISI 304 EN 1.4301 o AISI 316L
EN 1.4404, guarnizione siliconica esterna /
AISI 304 EN 1.4301 oder AISI 316L EN 1.4404
CNS, äußere Silikondichtung

Widths / Larghezze / Längen (mm):
90 - 150 - 200 - 300 - 400

Heights / Altezze / Höhen (mm):
90 - 150 - 200 - 300 - 400

Depths / Profondità / Tiefe (mm):
90 - 120 - 150



HD

HD



HYGIENIC ENCLOSURES



TPOLOGIES / TIPOLOGIE / TYPOLOGIEN

Enclosures with solid door (HQ) /
Casse ad anta cieca (HQ) /
Gehäuse mit Blindtür (HQ)

CHARACTERISTICS / CARATTERISTICHE / EIGENSCHAFTEN

Materials / Materiali / Materialien:
AISI 304 EN 1.4301 or AISI 316L EN 1.4404
stainless steel, external silicon gasket /
Acciaio inox AISI 304 EN 1.4301 o AISI 316L
EN 1.4404, guarnizione siliconica esterna /
AISI 304 EN 1.4301 oder AISI 316L EN 1.4404
CNS, äußere Silikondichtung

Widths / Larghezze / Längen (mm):
200 - 300 - 400 - 500 - 600
800 - 1000 - 1200 - 1400

Heights / Altezze / Höhen (mm):
300 - 400 - 450 - 500 - 600 - 700 - 750
800 - 900 - 1000 - 1200

Depths / Profondità / Tiefe (mm):
210 - 250 - 300 - 400



HQ



HYGIENIC CABINETS



TPOLOGIES / TIPOLOGIE / TYPOLOGIEN

Compact (HA) cabinets /
Armadi compatti (HA) /
Kompakte Schränke (HA)

SPECIFICATIONS / CARATTERISTICHE / EIGENSCHAFTEN

Materials / Materiali / Materialien:
AISI 304 EN 1.4301 or AISI 316L EN 1.4404
stainless steel, external silicon gasket /
Acciaio inox AISI 304 EN 1.4301 o AISI 316L
EN 1.4404, guarnizione siliconica esterna /
AISI 304 EN 1.4301 oder AISI 316L EN 1.4404
CNS, äußere Silikondichtung

Widths / Larghezze / Längen (mm):

Single door / Anta singola / Einzeltür
600 - 800 - 1000 - 1200

Double door / Anta doppia / Doppeltür
1200

Heights / Altezze / Höhen (mm):
1800 - 2000

Depths / Profondità / Tiefe (mm):
400 - 500 - 600



HA



Artinox SpA
Via F. Fabbrì, 39
z.i. Campidui
31015 Conegliano (TV)
+39 0438 4531
enclosures@artinox.com
artinox-enclosures.com